

Ordering Information:

A3501-T-E - ***

1 2

1.Part No.

5.Finish:

(blank): see the information of Part No.

Tin over Nickel: 80~120µin (2.03~3.05µm). Tin over 30~50µin(0.76~1.27µm). Nickel

Gold over Nickel;see the information below(GT15/GT30)

GT15: Mating Area :15µin (0.38µm) MIN. Gold


Crimp Area: 80~120µin (2.03~3.05µm). Tin

All Area : 30~50µin(0.76~1.27µm). Nickel

GT30: Mating Area :30µin (0.76µm) MIN. Gold

Crimp Area: 80~120µin (2.03~3.05µm) . Tin

All Area : 30~50µin(0.76~1.27µm). Nickel



Winding Direction

Ordering information & Specifications

Unit:mm

Part No.	Wire Range	Insultion O.D.	Material	Finish	Qty/reel
A3501-TP-E	AWG#16-#18	2.39mm(max)	Phosphor Bronze	Tin over Nickel	6,000 PCS
A3501-GP-E	AWG#16-#18	2.39mm(max)	Phosphor Bronze	Gold over Nickel	6,000 PCS
A3501-TCA-E	AWG#16-#18	2.39mm(max)	High Conductive copper alloy	Tin over Nickel	6,000 PCS
A3501-GCA-E	AWG#16-#18	2.39mm(max)	High Conductive copper alloy	Gold over Nickel	6,000 PCS

CJTconn CHANGJIANG CONNECTORS CO.,LTD.			Title : 3.50mm PITCH	
Unit mm	Scale 4:1	Sheet 1 of 1	DRAW NO : A3501-T-E	
Draw By: Dinakui Wan		Approved : Jack Yin		
General Tolerance				
A0	NEW RELEASE	2019.05.30	x.x±0.25	PROJECT
REV	DESCRIPTION	DATE	x.xx±0.20	
			x.xxx±0.15	
			REV A0	